


75CM 2 ZONE HYBRID HOB BPX2272B

Brandt

SPECIFICATIONS

- Vitroceramic glass
- Electronic touch sensitive controls
- Red LED digit display
- 9 power levels
- Booster power level for induction
- Rear left induction zone(1x2.0KW), booster to 2.3KW
- Rear right radiant zone(1x1.7KW),Centre zone(1x0.7KW)
- ❖ Keypad lock
- ❖ Residual heat indicator
- ❖ 99 minutes cooking timer
- ❖ Autostop system
- ❖ Pan Overheating Protection
- ❖ Pan Detection for induction
- ❖ POWER MANAGEMENT



The maximum rated current on each mains phase for a model with two zones is 13 amps. Total power: Max. 2850W for 2 zones model

Cooking Zones	#1	#2
Position of zone	Left (Induction)	Right (Vitroceramic)
Power (W)	2000 – 2300	700 - 1700 -

75CM 2 ZONE HYBRID HOB BPX2272B

Brandt

ELECTRICAL CONNECTIONS

- Total power (W): 2850
- Current (A): 13amp
- Voltage (V): 220-240
- Frequency (Hz): 50Hz
- Type of plug: Without

DIMENSIONS

- Product dimension (W750mm x D450mm)
- Build in dimension (W650mm – 720mm x D340mm – 420mm)
- Dimensions of packed product (mm): H101 x W810 x D500
- Net weight (kg): 10
- Gross weight (kg): 11.5

75CM 2 ZONE HYBRID HOB BPX2272B

Brandt

INSTALLATION DIAGRAM

