


60CM 4 ZONE horiZone® INDUCTION HOB BPI164HUX

Brandt

SPECIFICATIONS

- Front Stainless Steel trimming
- Vitroceramic glass
- Electronic touch sensitive controls
- horiZone® cooking technology
 - ❖ Cooking can be divided into two zones, either at the back or front, or both simultaneously, by setting appropriate power levels for each zone.
- 9 power levels + ultraboost
- Quick access
- 99 minutes cooking timer
- Boil function, Recall function:
- Pack 10 Safety features:
 - ❖ Residual heat indicator / Small object safety / Anti overflow
 - ❖ Autostop® system, Keypad lock
 - ❖ Automatic saucepan detection, Temperature limiter,
 - ❖ Low voltage, Connection error, Over Tension



Cooking Zones	#1 + #2	#3	#4
Position of zone	Left	Front right	Rear right
Size of zone (mm)	horiZone 400x230	160	210
Power (W)	4000	2500	3600

**60CM 4 ZONE horiZone®
INDUCTION HOB
BPI164HUX**

Brandt

ELECTRICAL CONNECTIONS

- Maximum electric power (W): 7400
- Current (A): 32
- Voltage (V): 220 -240
- Frequency (Hz): 50 / 60
- Length of power supply cord (cm): 130
- Plug type: Without


DIMENSIONS

- Dimension of product (mm): H60 x W580 x D510
- Built in dimensions (mm): W560 x D490
- Dimension of packed product (mm): H140 x W750 x D600
- Net weight (kg): 11
- Gross weight (kg): 11.5

**60CM 4 ZONE horiZone®
INDUCTION HOB
BPI164HUX**

Brandt

INSTALLATION DIAGRAM



Fitting into the worktop

Fitting flush with the worktop

